CPR, AED, and BSL-3

Margaret Juergensmeyer, Ph.D., RBP























So, we set up a CPR drill.



Decontaminate the person

Decontaminate the person

Decontaminate the person

Start CPR

Decontaminate the person

Get the AED

Start CPR

Decontaminate the person

Get the AED

Start CPR

Open the exterior security gate

Decontaminate the person

Get the AED

Start CPR

Hold open the building doors

Open the exterior security gate

Decontaminate the person

Get the AED

Start CPR

Hold open the building doors

Open the exterior security gate

Use the AED

Call 911

Get the person out of the suit

Decontaminate the person

Get the AED

Start CPR

Hold open the building doors

Open the exterior security gate

Use the AED

Call 911

Get the person out of the suit

Decontaminate the person

Get the AED

Start CPR

Hold open the building doors

Open the exterior security gate

Use the AED

Tell Security that you need an ambulance

Call 911

Get the person out of the suit

Decontaminate the person

Get the AED

Reassure/direct the people who are still in PPE

Start CPR

Hold open the building doors

Open the exterior security gate

Tell Security that you need an ambulance

Use the AED



Reassure/direct the people who are still in PPE




Use the AED

Tell Security that you need an ambulance






























Acknowledgements

- Bedford Park Fire Department
- IFSH BSL-3 personnel

